WHAT IS CLAIMED IS:

1. A process for setting up the execution of a server-side method by a client-side data processing system, comprising:

creating an API on the server side for a server-side software method; automatically creating a JavaScript program that contains calls to the server-side software method in accordance with the API; and sending the created JavaScript program to the client side.

- 2. The process of claim 1, further including executing the JavaScript on the client side to call the server-side software method.
- 3. The process of claim 2, wherein executing the JavaScript includes creating a Java object having a same name as a server-side Java bean.
- 4. The process of claim 2, wherein the JavaScript is executed by a non-modified standard browser program.
- 5. The process of claim 1, further including initially registering the server-side method on the server side, wherein the identifying includes identifying the registered server-side methods.
- 6. The process of claim 5, wherein no methods are specified, thereby identifying all methods of a bean.
- 7. The process of claim 5, wherein a subset of methods are specified, thereby identifying the subset of methods.
 - 8. The process of claim 5, wherein registration is performed using JSP tags.

- 9. The process of claim 1, the API identifying parameters of the method.
- 10. The process of claim 1, further comprising allowing specification of which server-side methods are included in the API.
 - 11. The process of claim 1, wherein the method is a method in a Java bean.
- 12. The process of claim 2, wherein executing the JavaScript includes converting the parameters sent to the server side.
- 13. The process of claim 2, wherein executing the JavaScript includes converting results sent from the server side.
- 14. The process of claim 2, where executing the JavaScript further includes using SOAP calls to invoke the server-side method.
- 15. The process of claim 2, where executing the JavaScript further includes using SOAP protocol to return results from the server-side method.
- 16. The process of claim 1, wherein the JavaScript includes JavaScript instructions for:

declaring public methods for a current session;

setting up SOAP requests for each server-side method; and

instantiating JavaScript objects on the client-side that correspond to server-side objects.

17. A process for executing a server-side method by a client-side data processing system, performed by the client-side data processing system and comprising:

receiving a JavaScript program that is automatically created by the serverside and that contains calls to the server-side software method in accordance with an API; and

executing the JavaScript on the client side to call the server-side software method.

- 18. The process of claim 17, further including passing parameters to the serverside method when the JavaScript is executed on the client side.
- 19. The process of claim 17, further including receiving results from the serverside method when the JavaScript is executed on the client side.
- 20. An apparatus for setting up the execution of a server-side method by a client-side data processing system, comprising computer instructions being executed by a processor, portions of the instructions comprising:

a portion for creating an API on the server side for a server-side software method;

a portion for automatically creating a JavaScript program that contains calls to the server-side software method in accordance with the API; and a portion for sending the created JavaScript program to the client side.